

Schoice 90, 100, or 110cm



celebrating One In A Million





the range

06 Range Cooking

Inside Falcon	09	Specialist Features	11	Choose your Colour	14
Multi Function Oven	10	Choose your Size	12	Choose your Fuel Type	15

16 The Traditional Collection

Kitchener 19 Classic Deluxe 23 Classic 21 Elan 25

26 The Contemporary Collection

Professional⁺ 90 FX/FXP 29 Professional⁺ 100 FX 31 Professional⁺ 33

34 The Co-ordinating Collection

Rangehoods 37 Splashbacks 37

39 Specifications & Warranty

It's the finer details that will make all the difference to your choice of appliance so here's where you can find information on the size, capacity, features and colours available as well as our parts and labour warranty.



10 reasons

to choose Falcon

With a Falcon at the heart of the kitchen, the kitchen is always the heart of the home. That's why you'll find a Falcon in more homes across Europe than any other range cooker. So, why buy a Falcon?



01 Made in the UK

We are proud to say that all of our range cookers are manufactured at our British manufacturing plant, in Royal Leamington Spa, where the very first range cooker was built back in 1830.



02 Heritage

Falcon is the worlds oldest cooker manufacturer, with over 185 years of manufacturing experience.



03 Pedigree

As well as inventing the world's first cooker, Falcon are part of the AGA Rangemaster Group.



04 Awards

Falcon is Europe's No.1 range cooker brand, and is highly rated by consumers as well as international committees such as the Plus X Award who distinguish selected products with prizes for innovation, quality and functionality.



08 Durability

Our products are built to stand the test of time, with everyday use in mind. Falcon range cookers are made from the highest quality materials to ensure longevity and durability.



06 Co-ordinating Appliances

We are probably best known for our range cookers but we have rangehoods to add the finishing touch to your kitchen.



09 Style & Choice

With a wide range of different variations of our range cookers, you'll find your perfect match.



07 Quality

During manufacturing each appliance goes through quality assessments, with elements which have been especially designed with functionality and safety in mind.



10 Full Testing

We employ a UK Home Economist who plays a vital role in ensuring our products deliver to exacting standards.









Crafted with pride


Range Cooking

Whether you want a traditional style or the clean, sophisticated lines of something a little more contemporary, a Falcon range cooker will become the cornerstone of your kitchen. Distinctive, efficient, highly versatile and made to our exacting standards, every Falcon is designed to make cooking a pleasure, not a chore.



Inside Falcon Multi Function Oven 09

Specialist Features Choose your Size 11 12 Choose your Colour 14 Choose your Fuel Type 15





Inside the

7 wonders of Falcon.

The 7 wonders of Falcon: our cookers don't just look good on the outside – they are built from the highest quality components, rigorously tested so you can bake, boil, simmer and sauté for years to come.



Tri-tonne[™] Frame

Our triple-folded Tri-tonneTM frame is the starting point for every Falcon cooker

- Unique Heavyweight Frame
- Easy-Glide Wheels
- Height Adjustable



Multi-glaze[™] Oven Door

Multi-glaze™ steel oven door technology offers peace of mind and safety for you and your family.

- Single Piece Pressed Door
- Internal Glass Panels



EasyCook[™] Controls

EasyCook $^{\text{TM}}$ controls make our cookers simple to use, so you can start cooking from the moment it's installed.

- Cooker Controls
- Pressed and Welded Fascias



Cookmax XL[™] Ovens

Cookmax XL™ ovens offer a generous capacity and easy cleaning for stress-free cooking.

- CavLite™
- Shelf-Stop Shelving
- Class Leading Oven Capacity
- Stay-Clean Liners
- Fully Welded Cavities



Spill-guard[™] Hotplates

Super flexible Spill-guard™ hotplates in a choice of fuels make cleaning up after cooking even easier.

- Cast Iron Pan Supports
- Unique Air Vent System
- Flame Failure Safety Device
- Separate Spillage Wells
- Triple-ring Burners



Endurance[™] Finish

Our Endurance $\mbox{\em M}$ finish is ecofriendly, durable and will last for years to come.

We only use environmentallyfriendly, top quality paints and enamels on our range cookers, which are supplied by the global leader and applied at our factory in Leamington Spa.



RM Xtra™

Every Falcon cooker is thoroughly checked and tested before delivery.

- Award Winning Packaging
- Factory Tested
- Detachable Plinth
- 98% Recyclable Packaging

For an interactive explanation of the above features visit www.falconworld.com/au

Cooking to perfection

with a Multi Function Oven







The multifunction oven offers seven functions for really flexible cooking. From crisping up the base of your pizza to browning your favourite pasta dish! Elan, Classic Deluxe and Professional+ FX / FXP models feature multi-function ovens.

Features

- Fan Oven A fan oven draws air from the interior of the oven, heats it up and forces it back into the cavity again. The heat within a fan oven is evenly distributed for multi-level cooking.
- Fan Assisted Oven Utilising the conventional oven elements in conjunction with the fan, this produces zoned cooking with the hottest zone being at the top of the oven.
- **Conventional Oven** This traditional cooking method uses heat sourced from both the top and bottom elements, which results in a natural convection process that centres the heat in the top of the oven.
- Base Heat Using the lower element only, this cooking method is often used for slow-cooking casseroles and can also be used to give a crispy base to your pizza.
- Browning Element Great for browning off pasta or dishes that are topped with cheese to create a perfect finish to your dish.
- Fanned Grilling Enables the door to be closed while grilling, which grills food more evenly and helps to retain moisture, while preventing cooking smells from permeating the room.
- Defrost An incredibly safe way to speed up the defrosting process, as it uses the fan to circulate unheated air, so won't accidentally cook the food like a microwave can.

Additional Multifunction Feature - Classic Deluxe Only

Rapid Response - Rapid Response preheats the oven 30% faster than a fan oven, so you don't waste time waiting for the oven to reach temperature before you can get cooking. Our tests show that you can place chilled foods in a cold oven, select Rapid Response, and get the same results as starting with a preheated oven. (Available on selected models only)

Visit www.falconworld.com/au for more information.



Specialist Features:

Whatever style of cooking you prefer, Falcon cookers offer a unique choice of features to make your life easier, creating perfect results every time.



Griddle

Made from robust cast aluminium, the griddle plate sits snugly on top of the gas hob, when required. The flat plate is ideal for cooking bacon and French toast, while the grooved plate provides fat drainage, offering a healthier way to sear steaks, burgers and fish.



Handyrack

No more scorching your hands on the oven cavity when you reach in for your roast. The Handyrack attaches to the main oven door, pulling the roasting tray out for convenient and safe access.



Teppanyaki-style Griddle

Cook healthy food Japanesestyle with the unique Teppanyaki-style griddle plate that fits snugly over the burners. It is also coated for non-stick easy cleaning.



Multi-Zone

Choose between two ceramic 1.1kW cooking zones, or slot a durable non-stick griddle plate over the top to provide a healthy cooking surface.



Triple-Ring Burner

Create authentic Asian cuisine on our Triple-ring burner, which can hold a specially designed wok cradle.



Pyrolytic Cleaning

Turn the oven to this function and it literally cleans itself. The oven will heat up to 450°C, once it reaches this temperature, the oven carbonises all cooking residue to a fine ash; at the end of the cycle all that is left to do is simply wipe away the ash with a damp cloth. Professional+ FXP Only.



Glide-out Grill™

Positioned on smooth-action telescopic runners, our Glide-out Grill™ does exactly that. Not only is it easier to check up on your food as it's grilling but it's also safer as it reduces the risk of pulling the grill out too far.



Side Opening Doors

Selected Falcon cookers feature side opening oven doors for your convenience. This allows easy access to the oven interior when cooking or cleaning. Excluding Professional+ FX & FXP.

^{*} Not all features are included on every model. Please refer to product specifications.

Choosing your size...



100 cm

Bridging the gap between 90cm and 110cm models, the 100cm wide range cooker is a popular choice that offers the ideal balance of functionality and style. The extra 10cm width will earn you larger oven capacities and a more substantial design statement.



110 cm

The ultimate cook's dream, our widest models offer high-capacity ovens, capable of catering en masse, plus flexible options such as slow ovens and storage drawers. An extra hob zone will allow you to cook with six pans simultaneously*.

*available on selected models

90 cm

Perfect for smaller kitchens, our 90cm wide models boast many of the outstanding features of wider versions, so all you'll miss out on is a few centimetres. Choose this option if you're short on space but want to cook like a professional.

90cm TALL OVEN

Tall and slim (see below), our cleverly shaped fan ovens have been designed to accommodate four roast chickens at once, achieving the most economical yet functional use of space ever.



100cm

Double Drop Down Doors

Like the other range cookers in the series, the 100cm model exudes top-end features. Of particular interest to busy cooks is the two multi function ovens (one conventional multi function), which offers an incredible amount of flexibility when it comes to cooking all food types.





Works well in a small kitchen too!

Don't be fooled into thinking that range cookers are only suited to homes blessed with big kitchens. In reality of course, there's no reason those with compact kitchens shouldn't benefit from a feature-packed range cooker.

In fact, designers recommend creating a focal point in a small space and what better solution than an eye-catching range cooker positioned centre-stage? If space is restricted, opt for a 90cm-wide model, which offers all the features of the larger sizes. Also consider a model with a storage drawer - handy for stowing away those pots and pans!



Choosing your colour ...

While Stainless Steel looks fantastic in many kitchens, it needn't be the only choice. Bring your kitchen alive by choosing a range cooker from an array of stunning colours.

N.B. The colours listed are available on selected models only. We have made every effort to make the colours shown as close as possible to the manufactured colour. Unfortunately, we cannot guarantee an exact colour match and these should be used as a guide only. Please visit a local stockist to view the exact colour before purchase (it is advised that you call the stockist first to check what colours they have on display).





Visit the product selector at www.falconworld.com/au to help find your perfect Falcon.



Which fuel type?...

DUAL FUEL (LPG CONVERTIBLE AT POINT OF ORDER)

The most popular fuel choice, dual fuel offers the responsiveness of a gas hob, with the flexibility and even heat distribution of an electric oven. If you want gas but don't have access to a mains supply, all of our dual fuel appliances can be converted to LPG (Liquid Petroleum Gas) on request at the point of order or later by a suitable licenced gas fitter at an additional cost.

INDUCTION

Fast, responsive and incredibly controllable, induction cooking offers the ultimate in speed and energy efficiency – no wonder it's the fastest growing hob choice today. Boasting a wealth of safety features, our hobs harness the latest induction technology for the most eco-friendly hob-top cooking possible and all boasting electric ovens.

ALL GAS (LPG CONVERTIBLE AT POINT OF ORDER) Roasting with gas creates a moist atmosphere, helping to prevent your food from drying out whilst cooking. Our 90cm ovens offer the best of both worlds, with a gas oven and one electric fan forced oven.



Why choose Induction?

Culinary professionals have long celebrated the speed and efficiency of induction cooking. Using a magnetic field to generate heat, water can be brought to the boil faster than any gas hob or electric kettle. Only the pan is heated, not the hob top, so spillages won't burn onto its surface during use, making cleaning exceptionally easy. Wasting precious little energy in the process, induction is an incredibly eco friendly choice, and provides an even cooking surface without hot spots. It's far safer too. Only after exceptionally long cooking periods will the hob become too hot to touch, which is when our Residual Heat Indicator provides a visual safety warning – making induction a great choice for busy families.

People with cardiac pacemakers or implanted insulin pumps must consult their doctor to make sure that their implants are not affected by the induction hob. (The frequency range of the induction hob is 20-60kHz)







The heart of your kitchen

Traditional Collection

A traditional-style range cooker is an essential component in any period home, forming a central attraction at the very heart of the kitchen. Perfect for creating an authentic, homely look, our traditional range cookers exude classic charm and have long been coveted for their distinctive styling.



Kitchener 19 Classic Deluxe 23 Classic 21 Elan 25







ALL MODELS FEATURE

Fan Oven (x 2)

Handy Rack

7 7 Wonders of Falcon

Programmable Oven

GRILL

Separate Dual Circuit Grill

HOB

Cast Iron Pan Supports

Triple-ring Burner

A Flame Safety Device

the Kitchener.

First launched in 1830, the Kitchener set the standard for range cooking. It continues to do so today.

MODEL & SIZE ...



COLOURS TO CHOOSE FROM ...







Stainless Steel

WHICH FUEL TYPE? ...



Available as dual fuel natural gas (LPG convertible*) FSD's fitted as standard * Request at point of order or later by a suitable gas fitter at an additional





The very first range cooker, the Kitchener, was invented and built on the same site as our current factory in 1830 and revolutionised how people cooked.



For full specifications and to compare all models see pages 40-42 or visit www.falconworld.com/au







ALL MODELS FEATURE

- Handy Rack
- 7 7 Wonders of Falcon
- Storage Drawer (110cm)
- Programmable Oven

OVEN (ALL GAS)

- 2 x Gas ovens, available as LPG* (110cm)
- 1 x Gas* & 1 x Tall Electric Fan Oven (90cm)
- Separate Gas Grill

HOB (INDUCTION)

Hot Hob Indicators

OVEN (DUAL FUEL & INDUCTION)

- Conventional Oven (110cm x 1)
- Fan Oven (110cm x 1, 90 x 2)
- Separate Dual Circuit Grill

HOB (DUAL FUEL & GAS)

- Cast Iron Pan Supports
- Triple-ring Burner
- Wok Cradle
- Warming Zone (110cm Dual Fuel & Gas)
- Griddle Plate
- Flame Safety Device

the Classic.

With bevelled doors, elegant windows and towel rail, the Classic offers everything you'd expect from a traditional range cooker.

MODEL & SIZE ...





COLOURS TO CHOOSE FROM ...









Cranberry

Cream Racing Green





WHICH FUEL TYPE? ...







All Gas

Available as natural gas, all LPG*, dual fuel natural gas (LPG convertible*) FSD's fitted as standard, or Induction.

* Request at point of order or later by a suitable gas fitter at an additional cost.





Handy Rack

No more scorching your hands on the oven cavity when you reach in for your roast. The Handyrack attaches to the main oven door, pulling the roasting tray out for convenient and safe access.







Enhanced Deluxe Features



ALL MODELS FEATURE

- Multifunction Oven (x 1)
- Fan Oven (x 1)
- Handy Rack
- 7 7 Wonders of Falcon
- R Rapid Response (LH oven only)
- Programmable Oven
- Storage Drawer (110cm only)

GRILL

Separate Dual Circuit Glide-out Grill

HOB

- Cast Iron Pan Supports
- Triple-ring Burner
- Wok Cradle
- Single Handed Ignition
- Griddle Plate (90 only)
- Multi-zone with griddle (110 only)
- ▲ Flame Safety Device

the

Classic Deluxe.

Staying true to the Classic's styling, the Deluxe range delivers a host of innovative, up-to-the-minute features.

MODEL & SIZE ...





COLOURS TO CHOOSE FROM ...









Cream

Olive Green




Royal Pearl Chrome Trim

WHICH FUEL TYPE? ...



Available as dual fuel natural gas (LPG convertible*) FSD's fitted as standard * Request at point of order or later by a suitable gas fitter at an additional cost





Create authentic Asian cuisine on our Triple-ring burner, which can hold a specially designed wok cradle.









ALL MODELS FEATURE

Multifunction Oven (x 1)

Fan Oven (x 1)

Handy Rack

7 7 Wonders of Falcon

■ Storage Drawer (110cm only)

Programmable Oven

GRILL

Separate Dual Circuit
Glide-out Grill

HOB

Cast Iron Pan Supports

Triple-ring Burner

Wok Cradle

Griddle Plate

▲ Flame Safety Device

the Elan.

The Elan epitomises the traditional Falcon range cooker, combining distinctive looks with outstanding flexibility.

MODEL & SIZE ...





Elan 110cm

Elan 90cm

COLOURS TO CHOOSE FROM ...





Black

Cream

WHICH FUEL TYPE? ...



Dual Fue

Available as dual fuel natural gas (LPG convertible*) FSD's fitted as standard * Request at point of order or later by a suitable gas fitter at an additional cost.







The fan oven draws air from the interior of the oven, heats it up and forces it back into the cavity again.

The heat within a fan oven is evenly distributed for multi-level cooking.

For full specifications and to compare all models see pages 40-42 or visit www.falconworld.com/au





Stylish modern living

Contemporary Collection

Clean lines and modern materials create the perfect synergy in a contemporary kitchen. Balancing design and functionality, our modern range cookers guarantee culinary perfection every time.



Professional* 90 FX/FXP 29 Professional* 100 FX 31

Professional*





ALL MODELS FEATURE

- Multifunction Oven
- T Energy Saving Panel
- Storage Drawer
- 7 7 Wonders of Falcon
- Programmable Oven

90 FXP ADDITIONAL FEATURES

Pyrolytic Cleaning Mode

GRILL

Dual Circuit Grill

HOR

- Cast Iron Pan Supports
- Triple-ring Burner
- Wok Cradle
- Teppanyaki-style Griddle Plate
- Flame Safety Device

the

Professional⁺ 90 FX / FXP.

Highly energy efficient. Highly versatile. The revolutionary Professional⁺ FX bears all the innovative Falcon qualities.

MODEL & SIZE ...





Professional+ F) 90cm

Professional+ FX

COLOURS TO CHOOSE FROM ...





Stainless Steel

Black Chrome Trii

WHICH FUEL TYPE?



Dual Fue

Available as dual fuel natural gas (LPG convertible*) FSD's fitted as standard. * Request at point of order or later by a suitable gas fitter at an additional cost.

Pyrolytic Cleaning D



(Single Cavity

Our revolutionary range cooker features a unique energy saving panel (E.S.P) that allows you to split the oven in half – creating a truly flexible appliance, which offers the best of both worlds. Its 115 cubic litre (full capacity) oven is ideal for large family dinners, but it quickly transforms into a compact, economical single oven for smaller meals.

The Pyrolytic cleaning function is a cleaning revolution; turn the oven

450°C and once it reaches this temperature, the oven carbonises all

cooking residue to a fine ash. At the end of the cycle all that is left to

do is simply wipe away the ash with a damp cloth. (FXP only)

to this function and it literally cleans itself. The oven will heat up to





Drop-down oven doors



FEATURES

- Multifunction Oven with 7 functions (x 1)
- Conventional Multifunction Oven with 4 functions (x 1)
- 7 7 Wonders of Falcon
- Storage Drawer
- Programmable Oven

GRILL

Dual Circuit Grill

HOB

- Cast Iron Pan Supports
- Triple-ring Burner
- → Wok Cradle
- Griddle Plate
- Single Handed Ignition
- A Flame Safety Device

the

Professional 100 FX.

Packing two multifunction ovens, with a combined capacity of 128 litres, this chic addition to our range heralds impressively high-volume cooking capabilities.

MODEL & SIZE ...



COLOURS TO CHOOSE FROM ...





Stainless Steel

WHICH FUEL TYPE? ...



Available as dual fuel natural gas (LPG convertible*) fitted as standard. * Request at point of order or later by a suitable gas fitter at an additional





Two Multifunction Ovens

The first of our Range Cookers to offer two multifunction ovens (one conventional multi), the 100cm wide range cooker has a fantastic overall oven capacity of 128 litres, one of the largest of its kind. It is split into a 75-litre capacity on the left with 7 functions and 53-litre capacity with four functions to the right.

For full specifications and to compare all models see pages 40-42 or visit www.falconworld.com/au





Cast Iron Pan Supports



ALL MODELS FEATURE

Handy Rack

7 7 Wonders of Falcon

Storage Drawer (110cm)

Programmable Oven

OVEN (DUAL FUEL & INDUCTION)

Conventional Oven (110cm x 1)

Fan Oven (110cm x 1, 90cm x 2)

Separate Dual Circuit
Glide-out Grill

HOB (DUAL FUEL)

Cast Iron Pan Supports

oust non ran oupports

Triple-ring Burner

Griddle Plate

Flame Safety Device

HOB (INDUCTION)

₩ Hot Hob Indicators

the

Professional*.

When a cooker is named the Professional, you can expect nothing less than professional results.

MODEL & SIZE ...





Professional

Professiona

COLOURS TO CHOOSE FROM ...









Cranberry Chrome Trin

Cream Chromo Tri

WHICH FUEL TYPE? ...



Stainless Steel



Jual Euol

Induction

Available as dual fuel natural gas (LPG convertible*) FSD's fitted as standard, or

* Request at point of order or later by a suitable gas fitter at an additional cost.





7 Programmable Oven

If you like the freedom of being able to start and finish cooking a dish while you are out, you'll appreciate the programmable oven.





Designed to impress

The co-ordinating collection

What looks best with your Falcon range cooker? Another Falcon, of course. We offer specialist rangehoods and splashbacks to perfectly compliment your choice of cooker.







the

Falcon Canopy

- Available in 90 or 110cm
- Complete with chrome badge
- Halogen lighting
- Stainless Steel with Aluminium filters included
- Can be ducted or recirculated
- 920 m³/h Maximum extraction





COLOUR OPTIONS



the

Falcon Splashback

• Available in 2 sizes - 90 or 110cm





COLOUR OPTIONS









Specifications & Warranty

The following pages are designed to answer many of the questions you may have about the various characteristics of our products. For any other information please call our sales team on 1800 685 899 and they will be happy to help.

CLEARANCES

Allow 5mm on either side of the cooker for fitting tolerance. If fitted near a corner, a clearance of 130mm is required to allow for side oven door opening. The cooker should be on site prior to final fitting of units and worktops, to ensure a perfect fit.

WARRANTY

Falcon appliances come with a 3 year parts & labour warranty (subject to registration).

CONSUMER SERVICES

If you have any product enquiries,

or in the event of a problem with your appliance once it has been installed, please telephone 1300 650 020 and have your serial number on hand.

CONSUMER SERVICE LINES OPEN:

Monday - Friday 8.30am - 5pm EST (Excluding Victorian public holidays)

STANDARDS

Falcon cookers are designed and manufactured to a recognised quality management system, which meets the requirements of BS EN ISO 9001 and BS EN ISO 14001 for continually improving

environmental procedures.

Falcon cookers comply with the essential requirements of the appropriate European Directives, and carry the CE mark.

All cookers must be fitted by a suitably qualified individual and in accordance with all relevant Australian Standards. Installation guides should be read prior to fitting.

Range Cooking 40 Rangehoods 46 Splashbacks

46

Range Cooking

	KITCHENER 90 DUAL FUEL	CLASSIC 110 DUAL FUEL	CLASSIC 110 GAS	CLASSIC 110 INDUCTION	CLASSIC 90 DUAL FUEL	CLASSIC 90 GAS
		21000	010 0		0 0	0 0 14
MODEL NUMBER	KCH90DFF	CLAS110DFF	01.404.403105	01.4044051	01 40000555	01.40000105
MODEL NUMBER	900	1100	CLAS110NGF	CLAS110EI	CLAS90DFF	CLAS90NGF
WIDTH (MM)			1100	1100	900	900
DEPTH EX HANDLES (MM)	600	600	600	600	600	600
HEIGHT - UP TO HOTPLATE (MM)	900 - 925 ^	900 - 925 ^	900 - 925 ^	905 - 930 ^	900 - 925 ^	900 - 925 ^
HOB RATINGS	1 X 3.8 - 15.2MJ«	1 X 3.8 - 15.2MJ«	1 X 3.8 - 15.2MJ«	3 X 2.3kW	1 X 3.8 - 15.2MJ«	1 X 3.8 - 15.2MJ«
MJ - MEGAJOULES - GAS	1 X 3.0 - 12.3MJ	1 X 3.0 - 12.3MJ	1 X 3.0 - 12.3MJ	2 X 1.4kW	1 X 3.0 - 12.3MJ	1 X 3.0 - 12.3MJ
kW - KILOWATTS - INDUCTION	2 X 1.55 - 6.2MJ 1 X 0.82 - 3.7MJ	1 X 0.82 - 3.7MJ	2 X 1.55 - 6.2MJ 1 X 0.82 - 3.7MJ 1X 0.16kW	-	2 X 1.55 - 6.2MJ 1 X 0.82 - 3.7MJ	2 X 1.55 - 6.2MJ 1 X 0.82 - 3.7MJ
CERAMIC BURNER (MULTI-ZONE)	-	WARMING PLATE	WARMING PLATE	-	-	-
TOTAL MJ RATING #	43.6MJ	43.6MJ	72.6MJ	-	43.6MJ	63.1MJ
TOTAL POWER (kW) #	7.4kW	7.7kW	0.24kW	17.4kW	8.1kW	2.8kW
CONNECTED LOAD (AMP)	32AMP	32AMP	1 (10AMP PLUG)	73AMP	34AMP	12 (15AMP PLUG)
OVEN CAPACITY LITRES* LH / RH	73 / 67	76 / 69	66 / 66	76 / 69	69 / 66	66 / 66
OVEN FUEL LH / RH	ELECTRIC / ELECTRIC	ELECTRIC / ELECTRIC	GAS / GAS	ELECTRIC / ELECTRIC	ELECTRIC / ELECTRIC	GAS / ELECTRIC
OVEN TYPE LH / RH	BOTH FAN FORCED	CONVENTIONAL / FAN	BOTH CONVENTIONAL	CONVENTIONAL / FAN	BOTH FAN FORCED	CONVENTIONAL / FAN
DUAL CIRCUIT GRILL	ELECTRIC	ELECTRIC	GAS	ELECTRIC	ELECTRIC	GAS
GRIDDLE	-	SIT-ON	SIT-ON	-	SIT-ON	SIT-ON
VOK CRADLE / CAST IRON PAN SUPPORTS	-/•	• / •	• / •	-	• / •	• / •
BROWNING ELEMENT	-	•	-	•	-	-
VARMING PLATE	-	•	•	-	-	-
LAME SAFETY DEVICE	•	•	•	-	•	•
LECTRONIC IGNITION	PUSH BUTTON	PUSH BUTTON	PUSH BUTTON	-	PUSH BUTTON	PUSH BUTTON
UTOMATIC HEAT INDICATORS	-	-	-	•	-	-
AN DETECTOR	-	-	-	•	-	-
RESIDUAL HEAT INDICATORS	-	-	-	•	-	-
CHILD LOCK (HOB)	-	-	-	•	-	-
PROGRAMMABLE CLOCK /	• (LH) /	• (LH) /	• (LH)/	• (LH) /	• (LH) /	• (LH)/
CHILD LOCK (OVEN CONTROLS)	• (LH)	• (LH)	• (LH)	• (LH)	• (LH)	• (LH)
MINUTE MINDER	•	•	•	•	•	•
HANDYRACK	•	•	•	•	•	•
OOOR OPENING LH / RH	SIDE / SIDE	SIDE / SIDE	SIDE / SIDE	SIDE / SIDE	SIDE / SIDE	SIDE / SIDE
OOOR TYPE LH /RH	PORTHOLE / SOLID	PORTHOLE / PORTHOLE	PORTHOLE / PORTHOLE	PORTHOLE / PORTHOLE	PORTHOLE / SOLID	PORTHOLE / SOLID
OVEN LIGHT	X 1	X 2	X 2	X 2	X 1	X 1
PYROLYTIC SELF CLEANING	-	-	-	-	-	-
COOK & CLEAN OVEN LINERS - CATALYTIC	REAR & SIDES (LH)	REAR & SIDES	SIDES	REAR & SIDES	REAR & SIDES (LH)	SIDES (LH)
SLOW COOK / DEFROST	• / -	• / -	• / -	• / -	• / -	• / -
STORAGE DRAWER	-	•	•	•	-	-
BLACK	•	•	•	•	•	•
VHITE	-	•	•	•	•	•
CREAM	•	•	•	•	•	•
RANBERRY	-	•	•	•	•	•
ACING GREEN	-	•	•	•	•	•
ROYAL BLUE	-	•	•	•	•	•
ROYAL PEARL	-	-	-	-	-	-
DLIVE GREEN	-	-	-	-	-	-
STAINLESS STEEL	•	-			-	-
TITTINGS AVAILABLE	CHROME ONLY	CHROME OR BRASS	CHROME OR BRASS	CHROME OR BRASS	CHROME OR BRASS	CHROME OR BRASS

KEY

^ - ADJUSTABLE HEIGHT

LH - LEFT HAND OVEN RH - RIGHT HAND OVEN

- INCL. OVEN WHERE APPLICABLE

« - TRIPLE-RING WORDENER

* - LITRES BASED ON EUROPEAN STANDARDS / MEASUREMENTS

CLASSIC 90 INDUCTION	CLASSIC DELUXE 110 DUAL FUEL	CLASSIC DELUXE 90 DUAL FUEL	ELAN 110 DUAL FUEL	ELAN 90 DUAL FUEL	PROFESSIONAL+ 110 DUAL FUEL	PROFESSIONAL+ 110 INDUCTION	PROFESSIONAL+ 90 DUAL FUEL
	DONETOLL	BONETOEE	30/12 022	BOXE 1 022	BOXETOLL	INDOONON	DOALTOLL
	1 1 1	建数数	(a) 0 (a)	0 1010			建設
	101012		社員の中の様子	01,510			
CLAS90EI	CDL110DF	CDL90DF	ELAS110DF	ELAS90DF	PROP110DF	PROP110EI	PROP90DF
900	1100	900	1100	900	1100	1100	900
600	600	600	600	600	600	600	600
905 - 930 ^	900 - 925 ^	900 - 925 ^	900 - 925 ^	900 - 925 ^	900 - 925 ^	905 - 930 ^	900 - 925 ^
3 X 2.3kW	1 X 3.8 - 15.2MJ«	1 X 3.8 - 15.2MJ«	2 X 3.8 - 15.2MJ«	1 X 3.8 - 15.2MJ«	1 X 3.8 - 15.2MJ«	3 X 2.3kW	1 X 3.8 - 15.2MJ
2 X 1.4kW	1 X 3.0 - 12.3MJ	1 X 3.0 - 12.3MJ	1 X 3.0 - 12.3MJ	1 X 3.0 - 12.3MJ	2 X 3.0 - 12.3MJ	2 X 1.4kW	1 X 3.0 - 12.3M
-	2 X 1.55 - 6.2MJ	2 X 1.55 - 6.2MJ	2 X 1.55 - 6.2MJ	2 X 1.55 - 6.2MJ	2 X 1.55 - 6.2MJ	-	2 X 1.55 - 6.2M
-	1 X 0.82 - 3.7MJ	1 X 0.82 - 3.7MJ	1 X 0.82 - 3.7MJ	1 X 0.82 - 3.7MJ	1 X 0.82 - 3.7MJ	-	1 X 0.82 - 3.7M
-	2 X 1.1kW	-	-	-	-	-	-
-	43.6MJ	43.6MJ	58.8MJ	43.6MJ	55.9MJ	-	43.6MJ
17.4kW	10.8kW	8.8kW	8.1kW	8.1kW	7.7kW	17.4kW	8.0kW
73AMP	47AMP	38AMP	34AMP	34AMP	32AMP	73AMP	34AMP
69 / 66	69 / 69	69 / 66	69 / 69	69 / 66	76 / 69	76 / 69	69 / 66
ELECTRIC / ELECTRIC	ELECTRIC / ELECTRIC	ELECTRIC / ELECTRIC	ELECTRIC / ELECTRIC	ELECTRIC / ELECTRIC	ELECTRIC / ELECTRIC	ELECTRIC / ELECTRIC	ELECTRIC / ELECTRI
BOTH FAN FORCED	MULTI / FAN FORCED	MULTI / FAN FORCED	MULTI / FAN FORCED	MULTI / FAN FORCED	CONVENTIONAL / FAN	CONVENTIONAL / FAN	BOTH FAN FORCED
ELECTRIC	GLIDE-OUT ELECTRIC	GLIDE-OUT ELECTRIC	GLIDE-OUT ELECTRIC	GLIDE-OUT ELECTRIC	GLIDE-OUT ELECTRIC	GLIDE-OUT ELECTRIC	GLIDE-OUT ELECTRIC
-	SIT-ON	SIT-ON	SIT-ON	SIT-ON	SIT-ON	-	SIT-ON
-	• / •	• / •	• / •	• / •	• / •	-/-	• / •
•	•	-	•	•	•	•	-
-	-	-	-	-	-	-	-
-	•	•	•	•	•	-	•
-	UNDER KNOB	UNDER KNOB	PUSH BUTTON	PUSH BUTTON	PUSH BUTTON	-	PUSH BUTTON
•	-	-	-	-	-	•	-
•	-	-	-	-	-	•	-
•	-	-	-	-	-	•	-
•	-	-	-	-	-	•	-
• (LH) /	• (LH) /	• (LH)/	• (LH) /	• (LH) /	• (LH) /	• (LH) /	• (LH) /
• (LH)	• (LH)	• (LH)	• (LH)	• (LH)	• (LH)	• (LH)	• (LH)
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
SIDE / SIDE	SIDE / SIDE	SIDE / SIDE	SIDE / SIDE	SIDE / SIDE	SIDE / SIDE	SIDE / SIDE	SIDE / SIDE
PORTHOLE / SOLID	PORTHOLE / PORTHOLE	PORTHOLE / SOLID	SOLID / SOLID	SOLID / SOLID	PORTHOLE / PORTHOLE	PORTHOLE / PORTHOLE	PORTHOLE / SOLID
X 1	X 2	X 2	X 2	X 1	X 2	X 2	X 1
-	-	-	-	-	-	-	
REAR & SIDES (LH)	REAR & SIDES	REAR & SIDES (LH)	REAR & SIDES	REAR & SIDES (LH)	REAR & SIDES	REAR & SIDES	REAR & SIDES (LH
• / -	• / •	• / •	• / •	• / •	• / -	• / -	• / -
-	•	-	•	-	•	•	-
•	•	•	•	•	•	•	•
•	-	-	-	-	-	-	-
•	•	•	•	•	•	•	•
•	•	•	-	-	•	•	•
•	-	-	-	-	-	-	-
•	-	-	-	-	-	-	-
-	•	•	-	-	-	-	-
	•	•	-	-	-	-	-
-				-	•	•	•
-	-	-	-				
	- CHROME ONLY	- CHROME ONLY	CHROME ONLY	CHROME ONLY	CHROME ONLY	CHROME ONLY	CHROME ONLY
-							

KEY

^ - ADJUSTABLE HEIGHT LH - LEFT HAND OVEN RH -

RIGHT HAND OVEN #

INCL. OVEN WHERE APPLICABLE
TRIPLE-RING WOK BURNER
LITRES BASED ON EUROPEAN STANDARDS / MEASUREMENTS

	PROFESSIONAL+ 90	PROFESSIONAL+ 100 FX	PROFESSIONAL+ 90 FX	PROFESSIONAL+ 90 FXF
	INDUCTION	DUAL FUEL	DUAL FUEL	DUAL FUEL
		TO SEE SE	130 6	-06-
		强强是		
MODEL NUMBER	PRO90EI	PROP100FXDF	PROP90FXDF	PROP90FXPDF
WIDTH (MM)	900	994	900	900
	600	604	600	600
DEPTH EX HANDLES (MM) HEIGHT - UP TO HOTPLATE (MM)	905 - 930 ^	905 - 930^	900 - 930 ^	905 - 930 ^
HOB RATINGS	3 X 2.3kW	1 X 3.8 - 15.2MJ	1 X 3.8 - 15.2MJ«	1 X 3.8 - 15.2MJ
MJ - MEGAJOULES - GAS	2 X 1.4kW	1 X 3.0 - 12.3MJ	1 X 3.0 - 12.3MJ	1 X 3.0 - 12.3MJ
W - KILOWATTS - INDUCTION	-	2 X 1.55 - 6.2MJ	2 X 1.55 - 6.2MJ	2 X 1.55 - 6.2MJ
W - RILOWALTS - INDUCTION		1 X 0.82 - 3.7MJ	1 X 0.82 - 3.7MJ	1 X 0.82 - 3.7MJ
PEDAMIC DUDNED (MULTI ZONE)		-		-
CERAMIC BURNER (MULTI-ZONE) TOTAL MJ RATING #		43.6MJ	43.6MJ	43.6MJ
	17.7kW	43.5W3	3.9kW	3.9kW
OTAL POWER (kW) # CONNECTED LOAD (AMP)	73AMP	20AMP	16AMP	16AMP
	69 / 69	75 / 53	FULL 115 / ESP 49	FULL 115 / ESP 49
OVEN CAPACITY LITRES* LH / RH OVEN FUEL LH / RH	ELECTRIC / ELECTRIC	ELECTRIC / ELECTRIC	ELECTRIC	ELECTRIC
			MULTI-FUNCTION	MULTI-FUNCTION
OVEN TYPE LH / RH	BOTH FAN FORCED GLIDE-OUT ELECTRIC	MULTI / CONV. MULTI	ELECTRIC	ELECTRIC
DUAL CIRCUIT GRILL	GLIDE-OUT ELECTRIC	BUILT-IN SIT-ON	TEPPANYAKI STYLE	TEPPANYAKI STYLE
GRIDDLE	- /		• / •	• / •
WOK CRADLE / CAST IRON PAN SUPPORTS	-/-	• / •	- 7 -	• / -
BROWNING ELEMENT	-			
VARMING PLATE	-	-	-	-
FLAME SAFETY DEVICE	-	UNDER KNOB	PUSH BUTTON	UNDER KNOB
ELECTRONIC IGNITION	-	UNDER KNOB	-	- ONDER KNOD
AND DETECTOR		-	-	-
PAN DETECTOR		-	-	
RESIDUAL HEAT INDICATORS		-	-	-
CHILD LOCK (HOB)	- (111) /	- (111) /	- /	- /
PROGRAMMABLE CLOCK /	• (LH) /	• (LH) /	• /	• /
CHILD LOCK (OVEN CONTROLS)	• (LH)	• (LH)	•	
MINUTE MINDER	•	•	•	•
HANDYRACK	CIDE / CIDE	-	-	-
DOOR OPENING LH / RH	SIDE / SIDE	DROPDOWN/DROPDOWN	DROP DOWN (ONE DOOR)	DROP DOWN (ONE DOOF
DOOR TYPE LH /RH	PORTHOLE / SOLID	PORTHOLE / PORTHOLE	PORTHOLE	PORTHOLE
OVEN LIGHT	X 1	X2	X 2	X 2
PYROLYTIC SELF CLEANING	-	- DEAD 0 OIDEO (LII)	-	•
COOK & CLEAN OVEN LINERS - CATALYTIC	REAR & SIDES (LH)	REAR & SIDES (LH)	- / -	- / -
SLOW COOK / DEFROST	• / -	• / •	• / •	• / •
STORAGE DRAWER	-	•		
BLACK	•	•	•	•
VHITE	-	-	-	-
CREAM	•	-	-	-
CRANBERRY	•	-	-	-
RACING GREEN	-	-	-	-
ROYAL BLUE	-	-	-	-
ROYAL PEARL	-	-	-	-
DLIVE GREEN	-	-	-	-
STAINLESS STEEL	•	•	•	•
FITTINGS AVAILABLE	CHROME ONLY	CHROME ONLY	CHROME ONLY	CHROME ONLY
PRODUCT WEIGHT	113KG	114KG	122KG	133KG

OPPOSITE:


- A Position for gas supply connector
- B Appliance gas inlet
- C Electrical connection

Please note: Locations of gas and electrical connections are approximations only. The cooker should always be on site prior to final fitting of units and worktops to ensure a perfect fit. For induction cookers please consult your Electrician to ensure power requirements are met. View is from the rear of the appliance.

Clearances: Allow 5mm on either side of the cooker for fitting tolerance. If fitted near a corner, a clearance of 130mm is required to allow for oven door opening (see diagram page 45).


All diagram measurements shown are in millimetres (mm)

All gas/dual fuel models manufactured by Falcon are fitted with FSD's as standard. Flame Safety Devices (FSD's) are part of the gas burner system, and automatically shut off the fuel supply should the flame accidentally extinguish, therefore making the gas hob safer. The FSD will stop a build-up of unlit gas that could otherwise result in an explosive environment, and also prevent dangerous levels of carbon monoxide. Hob layouts vary between different models




Cooker Configurations


	KITCHENER & CLASSIC 90 DUAL FUEL		ELAN & CLASSIC DELUXE 90 DUAL FUEL		PROFESSIONAL+ 90 DUAL FUEL
^	GAS HOB	^	GAS HOB	۸	GAS HOB
A B	ELECTRIC GRILL	A B	GLIDE-OUT ELECTRIC GRILL	А В	GLIDE-OUT ELECTRIC GRILL
С	ELECTRIC FAN FORCED OVEN	С	ELECTRIC MULTI-FUNCTION OVEN	C	ELECTRIC FAN FORCED OVEN
D	ELECTRIC FAN FORCED OVEN	D	ELECTRIC FAN FORCED OVEN	D	ELECTRIC FAN FORCED OVEN
E	N/A	<u>-</u>	N/A	<u></u> E	N/A
	<u> </u>				<u> </u>
	CLASSIC 90		PROFESSIONAL+ 90		CLASSIC 90
	INDUCTION		INDUCTION		GAS
А	INDUCTION HOB	A	INDUCTION HOB	А	GAS HOB
В	ELECTRIC GRILL	В	GLIDE-OUT ELECTRIC GRILL	В	GAS GRILL
С	ELECTRIC FAN FORCED OVEN	С	ELECTRIC FAN FORCED OVEN	С	GAS CONVENTIONAL OVEN
D	ELECTRIC FAN FORCED OVEN	D	ELECTRIC FAN FORCED OVEN	D	ELECTRIC FAN FORCED OVEN
E	N/A	E	N/A	E	N/A
	CLASSIC 110 DUAL FUEL		PROFESSIONAL+ 110 DUAL FUEL		CLASSIC 110 INDUCTION
	DOAL FOEL		DOAL FOEL		INDOCTION
А	GAS HOB	А	GAS HOB	А	INDUCTION HOB
В	ELECTRIC GRILL	В	GLIDE-OUT ELECTRIC GRILL	В	ELECTRIC GRILL
С	ELECTRIC CONVENTIONAL OVEN	C	ELECTRIC CONVENTIONAL OVEN	C	ELECTRIC CONVENTIONAL OVEN
D	ELECTRIC FAN FORCED OVEN	D	ELECTRIC FAN FORCED OVEN	D	ELECTRIC FAN FORCED OVEN
E	STORAGE DRAWER	E	STORAGE DRAWER	E	STORAGE DRAWER
				1	
	PROFESSIONAL+ 110 INDUCTION		CLASSIC 110 GAS		CLASSIC DELUXE 110 DUAL FUEL
A	INDUCTION HOB	Α	GAS HOB	A	GAS & ELECTRIC HOB
В	GLIDE-OUT ELECTRIC GRILL	В	GAS GRILL	В	GLIDE-OUT ELECTRIC GRILL
С	ELECTRIC CONVENTIONAL OVEN	C	GAS CONVENTIONAL OVEN	<u>C</u>	ELECTRIC MULTI-FUNCTION OVEN
D	ELECTRIC FAN FORCED OVEN	D	GAS CONVENTIONAL OVEN	D	ELECTRIC FAN FORCED OVEN
E	STORAGE DRAWER	E	STORAGE DRAWER	E	STORAGE DRAWER
	ELAN 110		PROFESSIONAL+ 90 FX /FXP		PROFESSIONAL+ 100 FX
	DUAL FUEL		DUAL FUEL		DUAL FUEL
А	GAS HOB	А	GAS HOB	А	GAS HOB
В	GLIDE-OUT ELECTRIC GRILL	В	BUILT-IN ELECTRIC GRILL	<u>^.</u>	BUILT-IN ELECTRIC GRILL
С	ELECTRIC MULTI-FUNCTION OVEN	C	ELECTRIC MULTI-FUNCTION OVEN	C	ELECTRIC MULTI-FUNCTION OVEN
D	ELECTRIC FAN FORCED OVEN	D	N/A	D	ELECTRIC CONV. MULTI FUNCTION OVEN




KITCHENER 90CM




CLASSIC & CLASSIC DELUXE 90CM




CLASSIC 110CM



CLASSIC DELUXE 110CM




ELAN 90CM




ELAN 110CM




PROFESSIONAL* 90 FX / FXP




PROFESSIONAL* 90CM




PROFESSIONAL* 110CM



PROFESSIONAL+ 100 FX



INSTALLATION CLEARANCES REQUIRED



Induction Hob Layout


Zone 1 = Outer 220mm / Inner 180mm Zone 2 = Outer 180mm / Inner 140mmm

$Rangehoods \ \ \hbox{(All dimensions in mm)}$



	90CM CANOPY	110CM CANOPY
MODEL NUMBER	FALHDCP90	FALHDCP110
TYPE	CANOPY	CANOPY
MIN HEIGHT ABOVE COOKTOOP (MM)	650	650
WIDTH (MM)	898	1098
HEIGHT INC. FASCIA, EXCL. FLUE (MM)	240	240
FLUE HEIGHT - MIN / MAX (MM)	495 / 770	495 / 770
NUMBER OF SPEEDS	3	3
NUMBER OF FANS	1	1
EXTRACTION (DUCTED) 1 / 2 / 3 (M ³ /HR)	360 / 590 / 920	360 / 590 / 920
EXTRACTION (RECIRCULATED) 1 / 2 / 3 (M³/HR)	350 / 570 / 850	350 / 570 / 850
CONTROL TYPE	SLIDER	SLIDER
NUMBER OF METAL FILTERS	3	4
DUCTED &/OR RECIRCULATING OPTION	ВОТН	вотн
AIR OUT DUCTS (MM)	120 / 125 / 150	120 / 125 / 150
LIGHTING (WATT)	2 X 20W HALOGEN	2 X 20W HALOGEN
BLACK	•	•
STAINLESS STEEL	•	•
OPTIONAL EXTENSION FLUE AVAILABLE	•	•

Splashbacks



	90CM SPLASHBACK	90CM SPLASHBACK	
MODEL NUMBER	FALSP90SS	UNBSP90BL	
WIDTH (MM)	902	902	
HEIGHT (MM)	670	670	
BLACK	-	•	
STAINLESS STEEL	•	-	

	110CM SPLASHBACK	110CM SPLASHBACK	
MODEL NUMBER	FALSP110SS	UNBSP110BL	
WIDTH (MM)	1102	1102	
HEIGHT (MM)	670	670	
BLACK	-	•	
STAINLESS STEEL	•	-	





Built with Experience

CHEMINEE

Telephone: 02 9564 2694

Fax: 02 9569 8802

Email: sales@cheminee.com.au

Showroom: 118 Stanmore Road, Stanmore (Corner Wemyss St), New South Wales,

Australia

Cheminee.com.au

Registered in England and Wales. Registration No. 354715 Registered Office: Juno Drive, Leamington Spa, Warwickshire, CV31 3RG